

UPLAND ARCHITECTS

250 E. MAIN STREET - SUITE 13 NORTON, MASSACHUSETTS 02766

331 SOUTH WASHINGTON STREET SHELBY, NORTH CAROLINA 28150

T 774-430-3390

WWW.UPLANDARCHITECTS.COM

DISCLAIMER

OWNERSHIP AND USE OF DOCUMENTS, DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF PROFESSIONAL SERVICE AND SHALL REMAIN THE PROPERTY OF THE ARCHITECT. THESE DOCUMENTS ARE NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER PROJECTS OR PURPOSES OR BY ANY OTHER PARTIES THAN THOSE PROPERLY AUTHORIZED BY CONTRACT WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF THE ARCHITECT.

CONTRACT **DRAWINGS**

REVISIONS: X			
NUMBER:	REMARKS:	DATE:	

11-05-2024

MODULAR BUILDING AND CONNECTOR DEMOLITION

DRAWING TITLE:

SITE PLANS

PERMIT DWG DATE:	PROJECT NUMBER:
11-08-2024	24-01-028
DRAWN BY:	CHECKED BY:

SP100


CONTRACT **DRAWINGS**

REFERENCE N NORTH

OVER-ALL SITE PLAN AERIAL N.T.S. 1

LOCUS PLAN

N.T.S. 2






AREA OF WORK

N.T.S. | 1

ANCHOR EACH BALE WITH TWO 2"x2"x3' STAKES STORM SEWER STRUCTURE

> CATCH BASIN CHECK: TO BE PLACED AROUND ALL INLET STRUCTURES

> > HAYBALE RING N.T.S.



EROSION / SEDIMENT CONTROL AND GENERAL NOTES:

- 1. LAND DISTURBANCE WILL BE KEPT TO A MINIMUM; RESTABILIZATION WILL BE SCHEDULED AS SOON AS POSSIBLE.
- 2. G.C. AT THE COMPLETION OF DEMOLITION WORK SHALL LEAVE THE SITE LEVEL AND 2-1/2" BELOW ADJACENT PAVEMENT AND CONCRETE SURFACES READY FOR LOAM AND SEED BY OTHERS. 3. G.C. TO LEAVE ALL EROSION CONTROL MEASURES IN PLACE AFTER COMPLETION OF WORK FOR
- 4. SILT FENCE WILL BE INSTALLED ALONG THE TOE OF ALL CRITICAL CUT AND FILL SLOPES.
- 5. CATCH BASINS WILL BE PROTECTED WITH HAY BALE FILTERS THROUGHOUT THE CONSTRUCTION
- PERIOD AND UNTIL ALL DISTURBED AREAS ARE THOROUGHLY STABILIZED. 6. EROSION AND SEDIMENT CONTROL MEASURES WILL BE INSTALLED PRIOR TO CONSTRUCTION.
- 7. ALL CONTROL MEASURES WILL BE MAINTAINED IN EFFECTIVE CONDITION THROUGHOUT THE CONSTRUCTION PERIOD.
- 8. ADDITIONAL CONTROL MEASURES WILL BE INSTALLED DURING THE CONSTRUCTION PERIOD, IF NECESSARY OR REQUIRED.
- AN APPROVED DISPOSAL FACILITY.

9. SEDIMENT REMOVED FROM CONTROL STRUCTURES WILL BE DISPOSED OF IN A LAWFULL MANNER IN

- 10. THE ON-SITE CONTRACTOR IS ASSIGNED THE RESPONSIBILITY FOR IMPLEMENTING THIS EROSION AND SEDIMENT CONTROL PLAN. THIS RESPONSIBILITY INCLUDES
- 10.1. THE INSTALLATION AND MAINTENANCE OF CONTROL MEASURES,
- 10.2. INFORMING ALL PARTIES ENGAGED ON THE CONSTRUCTION SITE OF THE REQUIREMENTS AND OBJECTIVES OF THE PLAN,
- 10.3. NOTIFYING THE PLANNING AND ZONING OFFICE OF ANY TRANSFER OF THIS RESPONSIBILITY 10.4. CONVEYING A COPY OF THE EROSION AND SEDIMENT CONTROL PLAN TO THE OWNER AT THE
- CONCLUSION OF WORK. 11. THE CONTRACTOR IS RESPONSIBLE FOR CORRECTING ANY UNFORESEEN FIELD CONDITIONS. 12. ALL CONSTRUCTION TO CONFORM TO THE STANDARDS OF THE STATE OF MASSACHUSETTS AND THE TOWN OF PLAINVILLE.

CONTRACT **DRAWINGS**

N.T.S.

EROSION CONTROL INFORMATION

UPLAND ARCHITECTS

250 E. MAIN STREET - SUITE 13 NORTON, MASSACHUSETTS 02766

331 SOUTH WASHINGTON STREET SHELBY, NORTH CAROLINA 28150

T 774-430-3390

WWW.UPLANDARCHITECTS.COM

DISCLAIMER

OWNERSHIP AND USE OF DOCUMENTS, DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF PROFESSIONAL SERVICE AND SHALL REMAIN THE PROPERTY OF THE ARCHITECT. THESE DOCUMENTS ARE NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECTS OR PURPOSES OR BY ANY OTHER PARTIES THAN THOSE PROPERLY AUTHORIZED BY CONTRACT WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF THE ARCHITECT.

CONTRACT DRAWINGS

REVISIONS: X			
NUMBER:	REMARKS:	DATE:	

SSUED FOR:	DATE ISSUED:
DEV/1E/M/#2	11 OF 2024

PROJECT TITLE:

MODULAR BUILDING AND CONNECTOR DEMOLITION

PLAINVILLE, MA

DRAWING TITLE:

SITE PLAN AND EROSION CONTROL INFO.

PERMIT DWG DATE:	PROJECT NUMBER:
11-08-2024	24-01-028
DRAWN BY:	CHECKED BY:

DRAWING NUMBER:

SP101

LEGEND ITEMS TO BE DEMOLISHED EXISTING PARTITIONS TO REMAIN, PATCH AND REPAIR AS REQUIRED DUE TO CONSTRUCTION. **KEYED DEMOLITION NOTES** REMOVE EXISTING MODULAR CLASSROOMS AND CONNECTOR STRUCTURES IN THEIR The including but not limited to walls, doors, floors, ceilings, lighting, ELECTRICAL, PLUMBING, HVAC, DUCTING, LOW VOLTAGE, UTILITY SERVICES, ROOF. LEAVE SITE LEVEL GRADED AND AT 2-1/2" BELOW ADJACENT PAVEMENTS. EXISTING HVAC EQUIPMENT TO BE REMOVED AND RELOCATED BY OWNER. REMOVE EXISTING FENCING IN IT'S ENTIRETY INCLUDING POSTS AND CONCRETE POST BASES. VERIFY EXTENT IN FIELD. EXISTING GRASS AREA TO REMAIN. EXISTING PAVEMENT AREA TO REMAIN. SLAB CUT LINE POTION OF SLAB TO REMAIN

GENERAL DEMOLITION NOTES

- 1. THE GENERAL CONTRACTOR AND THEIR SUBCONTRACTORS SHALL VERIFY ALL CONDITIONS, DIMENSIONS, ETC. AT THE SITE AND SHALL REPORT ANY DISCREPANCIES TO THE ARCHITECT IN WRITING PRIOR TO CONSTRUCTION. COMMENCEMENT OF WORK IMPLIES THE ACCEPTANCE OF ALL CONDITIONS. CONTRACTOR SHALL ALSO COORDINATE THE WORK WITH THE WORK OF ALL OTHER TRADES.
- 2. THE GENERAL CONTRACTOR SHALL PROVIDE ALL PROTECTIVE MEASURES FOR THE SAFETY OF THE PUBLIC AND WORKERS DURING THE COURSE OF THE WORK.
- 3. ALL WORK ON THIS PROJECT SHALL BE DONE IN THE BEST WORKMAN-LIKE MANNER.
- 4. THE GENERAL CONTRACTOR SHALL ASSUME ALL RESPONSIBILITY FOR THE EXECUTION OF THEIR WORK AND FOR ANY CHANGES AND/OR DEVIATIONS FROM DRAWINGS AND SPECIFICATIONS MADE WITHOUT PRIOR WRITTEN APPROVAL FROM THE OWNER. THE COST OF CORRECTIONS RESULTING FROM CHANGES AND/OR DEVIATIONS SHALL BE BORNE BY THE GENERAL CONTRACTOR.
- 5. A COMPLETE SET OF CONTRACT DOCUMENTS MUST BE KEPT AT THE JOB SITE AT ALL TIMES AND ANY CHANGES MUST BE NOTED THEREON AND INITIALED.
- 6. THE CONTRACTOR SHALL INSURE THE PROTECTION OF ALL ITEMS SCHEDULED TO
- 7. THE GENERAL CONTRACTOR SHALL DO ALL WALL PATCHING AFTER DEMOLITION TO CONFORM TO MATERIAL, TEXTURE, AND SURFACE ALIGNMENT WITH THE ADJOINING SURFACE
- 8. PROVIDE PROTECTION AROUND AREAS WHERE NEW WORK AND/OR DEMOLITION IS TO BE PERFORMED IN ORDER TO PREVENT DUST AND DIRT FROM ENTERING ACTIVE PORTIONS
- PATCH, REPAIR, AND/OR REPLACE ALL WORK DAMAGED DURING DEMOLITION.
- 10. REMOVE ALL DEBRIS AND LAWFULLY DISPOSE OF DEBRIS IN AN APPROVED DISPOSAL
- 11. DO NOT SCALE DRAWINGS FOR ANY REASON. REPORT ANY DIMENSIONAL DISCREPANCIES TO THE OWNERS PROJECT MANAGER BEFORE CONTINUING WORK.
- 12. GENERAL CONTRACTOR SHALL LEAVE THE PREMISES CLEAN, NEAT, AND ORDERLY AT THE COMPLETION OF THE PROJECT.
- 3. PERMIT FEES SHALL BE WAIVED BY THE TOWN.
- 4. THE REMOVAL OF A PORTION OF THE EXISTING CONNECTOR SLAB SHALL BE SELECTIVE AND VIA SAW CUTTING. DISTURBED, REMAINING EDGE TO BE SMOOTH AND EXISTING FLOOR TILE ADHERED TO SLAB SHALL BE REMOVED IN THEIR ENTIRETY INCLUDING ALL





250 E. MAIN STREET - SUITE 13 NORTON, MASSACHUSETTS 02766

331 SOUTH WASHINGTON STREET SHELBY, NORTH CAROLINA 28150

T 774-430-3390

WWW.UPLANDARCHITECTS.COM

DISCLAIMER

OWNERSHIP AND USE OF DOCUMENTS, DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF PROFESSIONAL SERVICE AND SHALL REMAIN THE PROPERTY OF THE ARCHITECT. THESE DOCUMENTS ARE NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER PROJECTS OR PURPOSES OR BY ANY OTHER PARTIES THAN THOSE PROPERLY AUTHORIZED BY CONTRACT WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF THE ARCHITECT.

CONTRACT DRAWINGS

REVISION	S: X	
NUMBER:	REMARKS:	DATE:

SSUED FOR: DATE ISSUED:
EVIEW #2 11-05-2024

PROJECT TIT

MODULAR BUILDING AND CONNECTOR DEMOLITION

68 MESSENGER STREET PLAIN VILLE, MA

MODULAR CLASSROOM
SYSTEM DEMOLITION PLAN
AND NOTES

PROJECT NUMBER:
11-08-2024

RAWN BY:

BCM

PROJECT NUMBER:
24-01-028

CHECKED BY:
BCM

DRAWING NUMBER:

AD100

LEGEND ITEMS TO BE DEMOLISHED EXISTING PARTITIONS TO REMAIN, PATCH AND


REPAIR AS REQUIRED DUE TO CONSTRUCTION.


KEYED DEMOLITION NOTES

- REMOVE ALL EXISTING CONCRETE PIERS AND PIER FOOTINGS BENEATH EXISTING () | MODULAR CLASS ROOMS AS SHOWN.
- REMOVE PORTION OF EXISTING CONNECTOR CORRIDOR CONCRETE SLAB AS SHOWN.
- PORTION OF EXISTING CONCRETE SLAB TO REMAIN FOR USE AS A LANDING. REMOVE ALL $\stackrel{ ext{C}}{\smile}$ EXISTING FLOOR FINISHES AND ASSOCIATED ADHESIVES AND MASTICS.
- REMOVE EXISTING EXISTING STEEL SUPPORT BEAMS HOLDING MODULAR CLASSROOM D STRUCTURE IN THEIR ENTIRETY INCLUDING PLATES, BOLTS AND FASTENERS.
- G.C. SHALL LEAVE TO WORK SITE FLAT AND LEVEL WITH AN ELEVATION 2-1/2" BELOW ADJACENT PAVEMENT/CONCRETE SURFACES READY FOR LOAM AND SEED BY OTHERS.

GENERAL DEMOLITION NOTES

- THE GENERAL CONTRACTOR AND THEIR SUBCONTRACTORS SHALL VERIFY ALL CONDITIONS, DIMENSIONS, ETC. AT THE SITE AND SHALL REPORT ANY DISCREPANCIES TO THE OWNERS AGENT IN WRITING PRIOR TO CONSTRUCTION. COMMENCEMENT OF WORK IMPLIES THE ACCEPTANCE OF ALL CONDITIONS. CONTRACTOR SHALL ALSO COORDINATE THE WORK WITH THE WORK OF ALL OTHER TRADES.
- THE GENERAL CONTRACTOR SHALL PROVIDE ALL PROTECTIVE MEASURES FOR THE SAFETY OF THE PUBLIC AND WORKERS DURING THE COURSE OF THE WORK.
- ALL WORK ON THIS PROJECT SHALL BE DONE IN THE BEST WORKMAN-LIKE MANNER.
- THE GENERAL CONTRACTOR SHALL ASSUME ALL RESPONSIBILITY FOR THE EXECUTION OF THEIR WORK AND FOR ANY CHANGES AND/OR DEVIATIONS FROM DRAWINGS AND SPECIFICATIONS MADE WITHOUT PRIOR WRITTEN APPROVAL FROM THE OWNER. THE COST OF CORRECTIONS RESULTING FROM CHANGES AND/OR DEVIATIONS SHALL BE BORNE BY THE GENERAL CONTRACTOR.
- A COMPLETE SET OF CONTRACT DOCUMENTS MUST BE KEPT AT THE JOB SITE AT ALL TIMES AND ANY CHANGES MUST BE NOTED THEREON AND INITIALED.
- THE CONTRACTOR SHALL INSURE THE PROTECTION OF ALL ITEMS SCHEDULED TO
- THE GENERAL CONTRACTOR SHALL DO ALL REQUIRED PATCHING AFTER DEMOLITION TO
- PROVIDE PROTECTION AROUND AREAS WHERE NEW WORK AND/OR DEMOLITION IS TO BE PERFORMED IN ORDER TO PREVENT DUST AND DIRT FROM ENTERING ACTIVE PORTIONS OF THE BUILDING.
- PATCH, REPAIR, AND/OR REPLACE ALL WORK DAMAGED DURING DEMOLITION.
-). REMOVE ALL DEBRIS AND LAWFULLY DISPOSE OF DEBRIS IN AN APPROVED DISPOSAL
- . DO NOT SCALE DRAWINGS FOR ANY REASON. REPORT ANY DIMENSIONAL DISCREPANCIES TO THE OWNERS PROJECT MANAGER BEFORE CONTINUING WORK.
- 2. GENERAL CONTRACTOR SHALL LEAVE THE PREMISES CLEAN, NEAT, AND ORDERLY AT THE COMPLETION OF THE PROJECT.
- 13. THE GENERAL CONTRACTOR SHALL APPLY FOR AND PAY FOR ALL PERMITS REQUIRED
- . THE REMOVAL OF FLOOR SLAB SHALL BE ACCOMPLISHED BY SAW CUTTING. G.C. SHALL X-RAY FLOOR SLAB PRIOR TO ANY SLAB CUTTING OR TRENCHING.





UPLAND

250 E. MAIN STREET - SUITE 13 NORTON, MASSACHUSETTS 02766

331 SOUTH WASHINGTON STREET SHELBY, NORTH CAROLINA 28150

T 774-430-3390

WWW.UPLANDARCHITECTS.COM

DISCLAIMER

OWNERSHIP AND USE OF DOCUMENTS, DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF PROFESSIONAL SERVICE AND SHALL REMAIN THE PROPERTY OF THE ARCHITECT. THESE DOCUMENTS ARE NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER PROJECTS OR PURPOSES OR BY ANY OTHER PARTIES THAN THOSE PROPERLY AUTHORIZED BY CONTRACT WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF THE ARCHITECT.

CONTRACT **DRAWINGS**

REVISION	S: X	
NUMBER:	REMARKS:	DATE:

11-05-2024

MODULAR BUILDING AND CONNECTOR DEMOLITION

68 MESSENGER STREET PLAIN VILLE, MA

FOUNDATION SYSTEM DEMOLITION PLAN AND NOTES

PROJECT NUMBER: 11-08-2024 24-01-028 CHECKED BY:

BCM DRAWING NUMBER:

AD101

FOUNDATION DEMOLITION PLAN

TYP. FOUNDATION PIER/FOOTING DETAIL 1/2" = 1'-0" 2

3/16" = 1'-0"

REFERENCE N NORTH